



Airmax Eco-Systems, Inc.
6135 King Road – Marine City, MI 48039
Ph: 810-765-5720 – Fax: 810-765-8600
www.airmaxeco.com

Algae Defense®
Algaecide

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT IDENTIFICATION

Product Name: Algae Defense®

HAZARD CLASSIFICATION (0-minimal, 1-slight, 2-moderate, 3-serious, 4-severe)

NFPA: HEALTH-1 FIRE-1 REACTIVITY-0
HMIS: HEALTH-1 FIRE-1 REACTIVITY-0

MANUFACTURER

Company Name: Airmax® Eco-Systems, Inc.
Address: 6135 King Road
Marine City, MI 48039

EMERGENCY PHONE NUMBERS

PROSAR: (888) 875-1724

2. COMPOSITION/ INFORMATION ON INGREDIENTS

Component Name	% by Wt.	CAS#	ACGIH TLV	OSHA PEL
Elemental Copper*	8.0	Not available	Not established	Not established

* derived from copper-triethanolamine complex and copper hydroxide.
Components not precisely identified are proprietary or not hazardous.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Dark Blue liquid that may cause moderate irritation to the eyes. See below for route-specific details.

POTENTIAL HEALTH EFFECTS

Inhalation: May be toxic if mists are inhaled.
Eye Irritation: Considered to be a moderate irritant. Avoid eye contact with the product by using chemical safety glasses or goggles.
Skin Irritation: Considered to be a negligible irritant to the skin of a rabbit.
Skin Absorption: Moderately toxic dermally.
Ingestion: Slightly toxic if swallowed.

4. FIRST AID MEASURES

Inhalation:	Remove victim to fresh air. If not breathing, give artificial respiration preferably mouth-to-mouth. Get professional medical attention.
Eye Contact:	Hold eyelids open and flush with water for 15-20 minutes until no evidence of chemical remains. Get professional medical attention if irritation persists.
Skin Contact:	Remove contaminated clothing and shoes. Wash with plenty of soap and water for 15-20 minutes until no evidence of chemical remains. Get professional medical attention if irritation persists.
Ingestion:	If ingested, contact physician or call Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get professional medical attention.

5. FIRE FIGHTING MEASURES

Flash Point & Method:	Not determined
Flammable Limits:	Not determined
Autoignition Temperature:	Not determined

FIRE FIGHTING HAZARDS & PROCEDURES

General Hazard:	Prevent human exposure to fire, smoke, fumes or products of combustion.
Extinguishing Media:	Not determined
Fire Fighting Equipment:	Wear protective clothing and self-contained breathing apparatus.
Hazardous Combustion Products:	Decomposes above 200°C.

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures:	Cover the spill with an absorbent material such as sweeping compound or lime. Sweep up and place in suitable (fiberboard) containers for later disposal.
---------------------------	--

7. HANDLING AND STORAGE

Storage Temperature:	Store below 35°C (95°F). Decomposes above 200°C. Average shelf life under proper storage conditions is 2 years.
General Information:	Store in a clean, dry area. Do not store near feed, food or within the reach of children.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Ventilation:	Provide local exhaust ventilation and/or general dilution ventilation to meet published exposure limits.
Respiratory Protection:	Wear dual cartridge respirator for dusts and mists.
Eye Protection:	Wear protective eyewear to prevent contact with this substance.
Protective Clothing:	Wear rubber gloves

9. PHYSICAL AND CHEMICAL PROPERTIES

Vapor Pressure:	No appreciable vapor pressure. Open containers can lose small amounts of water by volatilization.
Density (20° C):	1.1769
Specific Gravity:	1.18
Solubility in Water:	Soluble in water and alcohols.
pH:	8.4
Boiling Point:	Loses water and decomposes at high temperatures.
Melting Point:	Not determined
Odor:	Odorless
Color:	Dark blue
Physical State:	Liquid

10. STABILITY AND REACTIVITY

General:	This material is stable under normal conditions.
Conditions to Avoid:	Do not use where pH of water is below 6. Copper chelate may dissociate and release copper ions which could subsequently be precipitated as insoluble copper salts. Should not be applied when water temperature is below 60°F.
Hazardous Decomposition:	Decomposes above 200°C.
Hazardous Polymerization:	Material is not known to polymerize.

11. TOXICOLOGICAL INFORMATION

ACUTE

Inhalation:	Ate inhalation LC ₅₀ = 0.54 mg/L (rat - 4 hour mist).
Eye Irritation:	Moderately irritating to the eyes.
Skin Irritation:	Considered to be a negligible irritant to the skin of a rabbit.
Skin Absorption:	Acute dermal LD ₅₀ = 2918 mg/kg.
Ingestion:	Oral LD ₅₀ = 1,312 mg/kg.

12. ECOLOGICAL INFORMATION

For detailed ecological information, write to the address listed in Section 1 of this MSDS.

13. DISPOSAL CONSIDERATIONS

Comply with appropriate disposal regulations. Landfill solids at permitted sites. Use registered transporters.

14. TRANSPORT INFORMATION

Department of Transportation (DOT):	Not Regulated
International Air Transport Association (IATA):	Not Regulated
International Maritime Organization (IMO):	Not Regulated

Note: Inhalation data generated using a smaller particle size than is reasonably foreseeable to be encountered by a human during transport. Since a mist is not likely to be generated in a leakage of the transport containment, this material is not regulated for transport per DOT 49 CFR 173.132 (b)(3), IATA 3.6.3.3, IMO IV / 6.1 / 2.2.3, RID / ADR 2600 / 2.5.

15. REGULATORY INFORMATION

OSHA:	This product is considered hazardous under the OSHA Hazardous Communication Standard 29 CFR 1910.1200.
TSCA:	All product components are on the TSCA Chemical Inventory.
CERCLA:	Releases of this material to air, land, or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) or to the state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304.
RCRA:	When a decision is made to discard this material as supplied, it does not meet RCRA's characteristic definition of ignitability, corrosivity, or reactivity, and is not listed in 40 CFR 261.33.
SARA TITLE III	
311/312 Hazard Categories:	This product has been reviewed according to the EPA "Hazard Categories" and is categorized as an acute health hazard (40 CFR 370.41).
313 Reportable Ingredients:	This product does not contain any material listed in Section 313 above de minimis concentrations (40 CFR 372).

16. OTHER INFORMATION

REVISION SUMMARY

Not applicable

Other Information continued:

The information in this Material Safety Data Sheet relates to this specific material. It may not be valid for this material if used in combination with any other materials or in any process. It is the users' responsibility to satisfy themselves as to the suitability and completeness of this information for their own particular use.

Airmax® & Defense® are registered trademarks of Airmax® Eco-Systems, Inc.